



DOZER BLADES

RC RECLAMATION U-BLADES
HD HEAVY-DUTY U-BLADES
SUB SEMI U-BLADES

RC RECLAMATION U-BLADES **DESIGNED TO PERFORM**

Rockland RC Reclamation U-Blades reduce dozing costs. The RC was specifically designed for mine spoil pile work. It delivers more material every pass because of a 28° wing angle and the right relationship between overall blade width and the center section length.

From the job-matched cutting edges and from one rugged end plate to the other, these blades are built to last as well as produce! Features like rugged box-frame construction, weight-saving alloy steels, and heavy-duty end plates all combine to guarantee years of productivity and dependability.

HD HEAVY-DUTY U-BLADES **HEAVY-DUTY CHAMP**

For severe service dozing, smart contractors specify Rockland HD Heavy-Duty U-Blades. They know that Rockland Heavy-Duty U-Blades have been proven on severe applications around the world. They also know that Rockland Heavy-Duty U-Blades are available with options and features so they can set the blade up specifically for their application.

Here are the options: For pushing scrapers, add the optional, heavy-duty center push plate. For highly abrasive applications, there are optional blade liners available that are harder than most cutting edges! End plate wear protection and extra thick cutting edges are also available. For severe rock work, specify severe service edges and the total wear protection package.

Rockland HD Heavy-Duty U-Blades are built of high-strength, weight-saving alloy steels and feature a proven box-frame construction for years of dependable service. Specify a Rockland Heavy-Duty U-Blade for your severe service dozing application and add the options that guarantee years of dependable performance.


SEMI U-BLADES **MORE MATERIAL EVERY PUSH**

Make your medium-sized crawler tractor really produce by equipping it with a Rockland Semi U-Blade. When you change from the standard straight blade to a Rockland Semi U-Blade, productivity increases an average of 8% to 12% every pass. Every contractor knows that with productivity improvements like that, it doesn't take very long for the blade to generate extra profits.

Operators like the Rockland Semi U-Blade because it carries a load better than a straight dozer blade. It all adds up to more productivity on every job—delivered by a Rockland Semi U-Blade.

Rockland SUB blades are built to handle all the punishment that the tractor can dish out. From the heat-treated, reversible cutting edges to the heavy-duty end plates, these blades are tough. For productivity and performance, specify Rockland Semi U-Blades.


RC



HD



SUB



SPECIFICATIONS

RC RECLAMATION U-BLADES

Machine	40	50	60	70	80	90	100	110	120
Capacity YD ³	13 9.95	18.5 14.15	22 16.83	30 22.95	36 27.54	41 31.37	48.5 37.1	54 41.31	59 45.13
Width	14' 4267	16' 4877	17' 5182	17'6" 5334	17'8" 5385	19' 5791	20' 6096	22'3" 6755	23' 7010
Height	60" 1524	68" 1727	72" 1829	84" 2134	92" 2237	96" 2438	100" 2540	100" 2540	101" 2565
Wing Angle	28°	28°	28°	28°	28°	28°	28°	28°	28°
Cutting Edge	1"x 10" 25 x 254	1"x 10" 25 x 254	1-1/8"x 13" 29 x 330	1-1/8"x 13" 29 x 330	1-1/8"x 13" 29 x 330	1-1/8"x 13" 29 x 330	1-1/2"x 13" 38 x 330	1-1/2"x 13" 38 x 330	1-1/2"x 13" 38 x 330
Weight lbs.	5700 2588	8590 3900	11800 5357	13000 5902	14200 6447	17200 7809	18100 8217	18900 8581	19900 9035

(mm/kg)

Specifications subject to change without notice.

HD HEAVY-DUTY U-BLADES

Machine	25	30	40	50	60	70	80	90
Capacity YD ³	5.5 4.21	6.5 4.97	8.6 6.58	12.5 9.56	16 12.24	23 17.6	28 21.42	34 26.01
Width	10'6" 3200	10'9" 3277	12' 3658	13'4" 4064	14'6" 4420	16'6" 5029	17' 5182	20' 6096
Height	48" 1219	50" 1270	54" 1372	60" 1524	68" 1727	75" 1905	80" 2032	84" 2134
Wing Angle	25°	25°	25°	25°	25°	25°	25°	25°
Cutting Edge	3/4"x 8" 19 x 203	3/4"x 10" 19 x 254	1"x 10" 25 x 254	1"x 10" 25 x 254	1-1/8"x 13" 29 x 330	1-1/8"x 13" 29 x 330	1-1/8"x 13" 29 x 330	1-1/2"x 13" 38 x 330
Weight lbs.	3000 1362	3300 1498	4500 2043	6700 3042	8400 3814	10500 4767	11900 5403	12600 5720

(mm/kg)

Specifications subject to change without notice.

SUB SEMI U-BLADES

Machine	10	20	25	30	40	50	60	70	80	90	100
Capacity YD ³	1.8 1.38	2.4 1.84	3.6 2.75	5.1 3.9	7.4 5.66	12.1 9.26	14.2 10.86	18.6 14.23	21.6 16.25	24.6 18.82	26.5 20.27
Width	8' 2438	8'6" 2591	10'6" 3200	11'6" 3505	12'2" 3708	13'2" 4013	13'8" 4166	14'4" 4369	15' 4572	16' 4877	17'1" 5207
Height	32" 813	38" 965	45" 1143	45" 1143	52" 1320	64" 1626	68" 1727	76" 1930	82" 2083	82" 2083	83" 2108
Cutting Edge	5/8"x 8" 16 x 203	3/4"x 8" 19 x 203	3/4"x 8" 19 x 203	3/4"x 8" 19 x 203	1"x 10" 25 x 254	1"x 10" 25 x 254	1-1/8"x 13" 29 x 330	1-1/8"x 13" 29 x 330	1-1/2"x 13" 38 x 330	1-1/2"x 13" 38 x 330	1-1/2"x 13" 38 x 330
Weight lbs.	1170 531	1650 749	2160 981	3100 1407	3985 1809	5950 2701	6800 3087	9900 4495	11100 5039	11900 5403	12600 5720

(mm/kg)

Specifications subject to change without notice.

LGP SUB SEMI U-BLADES

Machine	10	20	25	30	40
Weight lbs.	1470 667	2100 953	2300 1043	3175 1440	4750 2155

(mm/kg)

Specifications subject to change without notice.

MOUNTING INFORMATION

Rockland Dozer Blades come complete with all necessary attaching brackets, ready to mount on standard push beam assemblies using standard factory pins.



**ROCKLAND
MANUFACTURING CO.**

P.O. Box 5 | Bedford, PA 15522
800-458-3773 | www.rocklandmfg.com

**INCREASING PRODUCTIVITY
FOR MORE THAN 60 YEARS**

WARRANTY

Rockland Dozer Blades are guaranteed against failure due to defective design, workmanship, or materials for a period of one year or 2,000 hours.